

## REFERENCES

- Abdullahi, S.M., Musa, A.M., Abdullahi, M.I., Sule, M.I., Sani, Y.M (2013). Isolation of Lupeol from the Stem bark of *Lonchocarpus sericeus* (Papilionaceae), *Scholars Academic Journal of Biosciences*, **1** (1):18-19.
- Abu Bakar, N.H., Sukari, M.A., Rahmani, M., Sharif, A.M., Khalid, K., Yusuf, U.K. (2007) Chemical constituents from stem barks and roots of *Murraya koenigii* (Rutaceae). *The Malaysian Journal of Analytical Sciences*, **11**: 173-176.
- Abe, F., Donelly, D.M.X., Moretti, C., Polonsky, J. (1985). Isoflavonoid constituents from *Dalbergia moetaria*. *Phytochemistry*, **24**: 1071-1076.
- Aher, A.N., pal, S.C., Yadav, S.K., pati, U.K., Bhattacharya, S. (2010). Isolation and characterisation of phytoconstituents from *Causurina equisetifolia* (Casurinaceae). *Asian Journal of Chemistry*, **22** (5): 3429-34-34.
- Ahmad, R., Alfian, N., Nunuk, H. S., Tjodi H., Ian V.A. (2012). A stigmasterol glycoside and β-sitosterol from the root wood of *Melochia Umbellata* (Houtt) Stapf Var. Degabrata K. *Indonesian Journal of Chemistry*, **12** (1): 100-103.
- Aiyegoro, O.A., Okoh, A.I. (2009). Use of Bioactive plant products in combination with standard antibiotics. Implications in antimicrobial chemotherapy. *Journal of Medicinal Plants Research*, **3** (13): 1147-1152.
- Alam, M.S., Chopra, N., Mohammed, A., Niwa, M., (1996). Oleanen, β-sitosterol and stigmasterol derivatives from *Ambroma augusta*. *Phytochemistry*, **41**: 1197-1200.
- Alavez-Solano, D., Reyes-Chilpa, R., Jimenez-Estrada, M., Gomez-Garibay, F., Chavez-Uribe, I., Sousa-Sanchez, M. (2000). Flavanones and 3-hydroxyflavanones from *Lonchocarpus oaxacensis*. *Phytochemistry*, **55**: 953-957.

Almeida, J.R., J.C., Amanda, L.G., Ana, P.O., Grasielly, R.S., Raimundo, G.O., Sarah, R.G., Jose, M.B., Raimundo, B.F., Dinalva, B.Q. (2015). A Flavonoid isolated from *Lonchocarpus araripensis* (Benth), reduces nociceptive behaviour in mice. *Phytotherapy Research*, **29**: 1622-1627.

Amin, A., Walley, T., Kokwaro, G., Winstanley, P., Snow, R. (2007). Commentary: Reconciling national treatment policies and drug regulation in Kenya: *Health Policy and Planning*, **22**: 111-112.

Amri, E., Kisangau, D. (2012). Ethnomedicinal study of plants used in villages around Kimboza forest reserve in Morogoro, Tanzania. *Journal of Ethnomedicine*, **8** (8): 1-3.

Ana, P., Franc, B., Zeljan, M., Ana, M., Bijana, N., Nikola, K. (2009). Identification and quantification of flavonoids and phenolic acids in Burr Parsley (*Caucalis platycarpos* L.), using high-performance liquid chromatography with diode array detection and electrospray ionisation sass spectrometry. *Molecules*, **14**: 2466-2490.

Anabwani, G.M., Esamai, F.O., Menya D.A. (1996). A randomised controlled trial to assess the relative efficacy of chloroquine, amodiaquine, halofantrine and fansidar in the treatment of uncomplicated malaria in children. *East African Medical Journal*, **73** (3): 155-158.

Anandhi, R., Annadurai, T., Anitha, T.S., Muralidharan, A.R., Najminisha, K., Nachiappan, V. (2012). Antihypercholesterolemic and antioxidative effects of an extract of the oyster mushroom, *Pleurotus ostreatus* and its major constituent;

- chrysin, in Triton WR-1339-induced hypercholesterolemic rats. *Journal of Physiological Biochemistry*, **69** (2): 313-323.
- Anderson, M. T.; Dewenter, L.; Maier, B.; Seifert, H. S. (2014). Seminal plasma initiates a *Neisseria gonorrhoeae* transmission state. *American Society for Microbiology*, **5** (2): 1004–1013.
- Andes, D., Marchillo, K. (2011). *In vivo* pharmacodynamic characterisation of a new echinocandin-anidulafungin against *Candida albicans* and *Candida glabrata* in the neutropenic murine disseminated candidiasis model. Abstract of the 46<sup>th</sup> Interscience Conference on Antimicrobial Agents and Chemotherapy: 27<sup>th</sup>-30<sup>th</sup> September; 2011 at San Fransisco.
- Arias, C.A. and Murray, B.E. (2009). Antibiotic-resistant bugs in the 21<sup>st</sup> century-A clinical super-challenge. *The New England Journal of Medicine* **360** (5): 439-443.
- Attarde, D., Pawr, J., Chaudhari, B., Pal, S. (2010). Estimation of sterol content of edible oil and ghee samples. *International Journal of Pharmaceutical Sciences Review and Research*, **5** (1): 135-137.
- Azzouzi, S., Zaabat, N., Medjroubi, K., Akkal, S., Benlabed, K., Smati, F., Dijoux, M. (2014). Phytochemical and biological activities of *Bituminaria bituminosa* L. (Fabaceae). *Asian Pacific Journal of Tropical Medicine*, **7** (1): S481-S484
- Baek, N., Kennelly E.J., Kardono L.B.S., Tsauri S., Padmawinata K., Soejarto D.D. Kinghorn A.D. (1994). Flavonoids and a proanthrocyanidin from rhizomes of *Selliguea feei* *Phytochemistry*, **36** (2): 513-518.
- Batterham, T.J., Highet, R.J. (1963). Nuclear magnetic resonance of flavonoids Manuscript. *Australian Journal of Chemistry*, **17** (4) 428–439.

- Batterham, T.J., Highet, R.J. (1964). Nuclear magnetic resonance of flavonoids. *Australian Journal of Chemistry*, **17**: 423-439.
- Bentjee, H. (1994). *Kenyan Trees, Shrubs and Lianas*. National Museums of Kenya, Nairobi. p 102-110,296.
- Borges-Argae'z, R., Rodriguez-Pena, L.M., Waterman, P.G. (2007). Flavonoids from two *Lonchocarpus* species of the Yucatan Peninsula. *Phytochemistry*, **60** (5): 533-540.
- Bors, W. Heller, W., Michael, C., Saran, M. (1990). Flavonoids as antioxidants: Determination of the radical scavenging efficiencies. *Methods in Enzymology*, **186**: 343-355.
- Brown, G.D., Denning D.W., Levitz S.M. (2012) Tackling human infections. *Science*, **11**: 336-347.
- Bruce-Chwatt, L. (1993). Essential Malariaiology, 3<sup>rd</sup> Edition. H.M. Glries, and D.A. Warrall. Edward Arnold, London, p 134-151.
- Burkill, H.M. (1995). *The Useful Plants of West Africa*. 2<sup>nd</sup> Edition. Royal Botanic Gardens, Kew, Richmond, United Kingdom. **3**: p 857-860.
- Caboni, P., Sherer, T., Zhang, B., Taylor, G., Grenamyre, J., Timothy, C., John, E. (2004). Rotenone, deguelin and their metabolites. *Chemical Research in Toxicology*, **17** (11): 1540-1548.
- CDC (2006). Coordinating Center for Infectious Diseases/Division of bacteria and Mycotic Diseases, *Communicable Diseases Surveillance Bulletin*, May; 2006-Dr. Nelesh Govender, Western Cape, South Africa.

- Caraballo, H. (2014). Emergency department management of mosquito-borne illnesses: Malaria,dengue, and west Nile virus. *Emergency Medicine Practice*, **16** (5): 1-5.
- Cassidy, E., Caittnli, N., William, S. (2011). *Lonchocarpus* Polyphenolics and their Biological activities. *The Natural Products Journal*, **1** (2): 75-104.
- Ceres, M., Gottlieb, R., Giovanno, B., Marini, B., France, D., Roger, P. (1981). Systematic significance of flavonoids in *Derris* and *Lonchocarpus*. *Biochemical Systematics and Ecology*, **9** (3): 134-147.
- Chakraborty, D.P., Bhattacharya, P.R.S., Bhaitacharya, S.P., Biswa, A.K. (1978) Structure and synthesis of mukonine, a few carbazole alkaloids from *Murraya koenigii*. *Phytochemistry*, **17**: 834-835.
- Chaturvedula, P.V.S., Prakash, I. (2013). Flavonoids from *Astragalus propinquus*. *Journal of Chemical and Pharmaceutical Research*, **5**: (1):261-265.
- Chaturvedula, P.V.S., Prakash, I (2012). Isolation and structural characterization of lupane triterpenes from *Polypodium Vulgare*. *Research Journal of Pharmaceutical Sciences*, **1** (1): 23-27.
- Chaturvedula, P.V.S., Prakash, I. (2012). Isolation of Stigmasterol and β-sitosterol from the dichloromethane extract of *Rubus suavissimus*. *International Current Pharmaceutical Journal*, **1** (9): 239-242.
- Chaturvedula V.S.P., Prakash I. (2011). Kaempferol glycosides from *Siraitia grosvenorii*. *Journal of Chemical and Pharmaceutical Research*, **3** (6): 799-804.
- Chulay, J.D. (1983). *Plasmodium falciparum*: Assessment of *in vitro* growth by [3H]-hypoxanthine incorporation. *Experimental Parasitology*, **55**: 138-146.

- Chun, J.H, Hong, K.J., Cha,S.H., Cho, M.H., Lee, K.J., Jeong, D.H., Yoo, C.K., Rhie, G. (2012). Complete genome sequence of *Bacillus anthracis* H9401, an isolate from Korean patient with anthrax. *Journal of Bacteriology*, **194**: (15) 4116-4117.
- Clark, A.M. (1996). Natural products as a source of new Antibiotics. *Pharmaceutical Research*, **13** (8): 1133-1141.
- Coastes, K.P. (2002). *Trees of Southern Africa*. 3<sup>rd</sup> Edition. issue number 176. Struik, South Africa.
- Connolly, J.D., Hill, RA. (2005). Triterpenoids. *Natural Products Report*, **22** (4): 487-503.
- Correa, M.P. (1984). Dicionário das plantas úteis do Brasil e das exóticas cultivadas.. IBDF, Ministério da Agricultura, Rio de Janeiro, 149.
- Correa, R.S., Colho, C.P., Santos, M.H., Ellena, J., Doriguetto, A.C. (2009). Lupeol. *Acta Crystallographica C*, **65**: 97-99.
- Cowan, M.M. (1991). Plant products as Antimicrobial Agents. *Clinical Microbiology Reviews*, **12** (4): 564-582.
- Curtis, C.F. (1994). Should DDT continue to be recommended for malaria vector control? *Medical and Veterinary Entomology*, **8**: 107-112.
- Dandara, B.S., Raphaella, C.C., Renata, M.A., Jose, E.P., Ediberto, R.S., Raimundo, B.F., Laila, S.E. (2015). Activity of Fabaceae species extracts against fungi and *Leishmania*: vatacarpan as a novel potent anti-*Candida* agent. *Revista Brasileira de Farmacognosia*, **25** (4): 401-406.

- Desjardins, R.E., Canfield, C.J., Haynes, J.D., Chulay, J.D. (1979). Quantitative assessment of antimalarial activity *in vitro* by a semi-automated dilution technique. *Antimicrobial Agents Chemotherapy*, **16**: 710-718.
- Dheeraf, K.G., Savita, J., Pushpa, D. (2014) *Murraya koenigii* (L) Spreng. An Ethnobotanical, Phytochemical and Pharmacological Review. *Journal of Pharmacognosy and Phytochemistry*, **3**: 109-119.
- Di Santo R. (2010). Natural products as antifungal agents against clinically relevant pathogens. *Natural Products Report*: **27** (7) 1084-1089.
- Dordevic, S., Cakic, M., Amr, S. (2000). The extraction of Apigenin and Luteolin from the sage *Salvia officinalis L.* from Jordan. *Facta Universitata* **1** (5): 87-93.
- Drew, J. (2000). Drug discovery-A historical perspective .*Science*, **287** (5460) 160-1964.
- Drozd, G.A. (1972). The interpretation of the NMR spectra of flavone C-monoglycosides. *Chemistry of Natural Compounds*, **8** (4): 442-444.
- Dubey, N., Mehta, R., Saluja, A.K. (2009). Determination of psoralen and plumbagin from its polyherbal formulations by an HPTLC densitometric Method. *Journal of AAO International*, **92** (3): 779-784.
- Enayati, A., Hemingway, J. (2010). Malaria management: Past, present, and future. *Annual Review of Entomology*, **55**: 569–91.
- Espinel, A. (2008). Mechanisms of resistance to antifungal agents: yeast-like and filamentous fungi. *Revista Iberoamericana de Micloogia* **25** (2): 101-106.
- Esra, K.A., Ipek, S., Hikmet K. (2015). Bioassay-guided Isolation and characterisation of wound healer compounds from *Morus nigra* L. (moraceae). *Records of Natural Products*, **9** (4): 484-495.

Fiebig, M, Pezzutp J.M., Soejartp, D.D., Kinghorn, A.D. (1985) Koeline, a further cytotoxic carbazole alkaloids from *Murraya koenigii*. *Phytochemistry*, **24**: 3041-3043

Fogh, S., Jepson, S., Effersoe P. (1979). Chloroquine-resistant *Plasmodium falciparum* in Kenya. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, **73**: 228-229.

Folkers, K., Koniuszy, F. (1993). *Erythrina* alkaloids VI. Isolation and characterisation of new alkaloids; erythraline and erythranite. *Journal of the American Chemical Society*, **6**: 436-438.

Frank-Michael, C.M., Michael, W., Joanne, P., Thomas, J.W. (2000). Azole cross-resistance to ketoconazole in clinical *Candida albicans* isolates from HIV-infected children with oropharyngeal candidosis. *Journal of Antimicrobial Chemotherapy*, **46** (2): 338-341.

Frieden, T.R., Sbarbaro J.A. (2007). Promoting adherence to treatment of tuberculosis: The importance of direct observation. *Bulletin of the World Health Organisation*, **85**: 325-420.

Fukami, H., Nakajima, M., (1971). *Rotenone and rotenoids: Naturally occurring insecticides*. Marcel Dekker Inc. New York p. 71.

Fulvia, O., Francesca, P., Luisella, V., Aburjai,T. (1997). Isolation, synthesis and antiplatelet aggregation activity of 3-O- $\beta$ -D-glucopyranoside and related compounds. *Journal of Natural Products*, **60**: 1082-1087.

Garrod, L.P. (1960). The relative antibacterial activity of three penicillins. *British Medical Journal*, **51**: (72) 527-529.

- Gessler, G.M., Nkunya, M.H., Mwasumbi, L.B., Heinrich, M., Tanner, M. (1994). Screening of Tanzanian medicinal plants for antimalarial activity. *Acta Tropica*, **56**: 65-69.
- Gholami, A., Pandey, A.K. (2016-1). *Alysicarpus poklianus* (Fabaceae, Desmodieae), a new species from India. *Phytokeys*, **68**: 117-124.
- Gholami, A., Pandey, A.K. (2016-1). *Alysicarpus gautalensis* (Leguminosa, Desmodieae), a new species from Maharashtra, India. *Phytotaxa*, **266**: 141-145.
- Gillett, J.B., Polhill, R.M., Verdcourt, B., Schubert, B.G. Milne, E., Brummitt, R.K. (1971). Leguminosae (Parts 3-4), Sub-family Papilionoidae (1-2). *Flora of Tropical East Africa. Crown Agents for Oversea Governments and Administrations*, London, United Kingdom pp 1108-1150.
- Gilman, E.F., Watson, D.G. (1993). *Erythrina variegata* var. *orientalis*. Coral Tree. Fact Sheet ST 238. U.S. Forest Service, Rio piedras, Puerto Rico.
- Globade, A.A., Lukwa, N., Kalenda D. (2002). Guidelines for the Studies on Plant-based Vector Control Agents. Department of Pharmacognosy, Obofemi Awolo University, Ile-Ife, Nigeria.
- Gonzalel, C., Rubio, M., Romero-Vivas, J., Gonzalel, M., Picazo, J. (2005). Bacteremic pneumonia due to *Staphylococcus aureus*: A comparison of disease caused by methicillin-resistant and methicillin-susceptible organisms. *Clinical Infectious Diseases*, **29**: (50) 1171-1177.
- Grasiely, F.S., Lucienir, P.D. Antonio, F.C.A., Gracia, D.F., Sidney, A.V. Roqueline, R.S., Djalma, M.O. Jacqueline, A.T (2012). New triterpenes from *Maytenus*

- robusta*: Structural elucidation based on NMR experimental data and theoretical calculations. *Molecules*, **17** 13439-13456.
- Gratz, N.G and Pal, R. (1988). Malaria vector control: larviciding. *Principles and Practices of Malariaology*, 1213-5.
- Grayer, R.J., Kokubun, T. (2001). Plant-fungal interactions: the search for phytoalexins and other antifungal compounds from higher plants. *Phytochemistry* **56**: 253-263.
- Haegnauer, R., Grayer-Barkmeijer R. (1993). Relevance of seed polysaccharides and flavonoids for the classification of the leguminosae: A chemotaxonomic approach. *Phytochemistry*, **34**: 3-16.
- Hancock, R., Breidenstein, B., Lucia F. (2011). Reviews and commentaries in antimicrobial and anticancer chemotherapy. *Canada Drugs Resistance Updates*, **7**: 73-89.
- Hastings, R.B. (1990). Medicinal legumes of Mexico: *Fabaceae, Papilionaceae* (Part I). *Economic Botany*, **44**: 336-354.
- Hawkey, P., Jones, A. (2009). The changing epidemiology of Resistance. *The Journal of Antimicrobial Chemotherapy*, **64**: (1) 3-10.
- Hebert, K., Paul D. N., Penton, L., Erin, H., Burns, K., Janzen, M., Daniel, H., Hallawachs, W., Beier, J. C., Perkins, P. V., Onyango, F.K. (2004). Ten species in one: DNA barcoding reveals cryptic species in the semi-tropical skipper butterfly *Astraptes fulgerator*: *Proceedings of National Academy of Science*, **101** (41): 14812-13817.

Heinrich, M., Barnes, J., Gibbons, S., Williamson, E.M. (2004). *Fundamentals of Pharmacognosy and Phytotherapy*. Churchill Livingstone, Elsevier Science Ltd., UK.

Heneckowski, M., Kopacz, M., Nowak, D., Kuzniar, A. (2001). Infrared spectral analysis of some flavonoids. *Acta Poloniae Pharmaceutica*, **58** (6): 415-420.

Horward, E., Pipher, J., Forrest, W. (1994). Alternative medicine. *The Astrophysical Journal*, **4** (88): 286-289.

Hsu J.L., Ruoss S.J., Brown N.D., Lin M., Stevens D.A. (2011). Diagnosing invasive fungal diseases in critically ill patients. *Critical Reviews in Microbiology*, **37** (4): 277-312.

Ichimaru, H., Moriyasu, M., Nishiyama, Y., Kato, A., Mathenge, S.G., Juma, F.D., Ng'ang'a, J.N. (1996). Structural elucidation of new flavonones isolated from *Erythrina abyssinica*. *Journal of Natural Products*, **59**: 113-1116.

Igham, J.I. (1973). Disease resistance in higher plants: The concept of pre-infection and post-infection resistance. *Phytopathologische Zeitschrift*, **78**: 314-335.

Ingham, J.L., Tahara, S., Dziedzic, S.Z. (1988). Major Flavones from *Lonchocarpus guatemalensis*. *Zeitschrift fur Naturforschung*, **43 C**, 818-822.

Inamura, H., Ito, M., Ohashi H. (2000). Isoflavonoids of *Erthyrina cristagalli* (Leguminosae). *Daigaku Nogakubu Kenkyu Hokoku*, **45**: 77-80.

Irungu, S. (2012). Isolation and characterization of antimicrobial compounds from the plants, *Erythrina Abyssinica* DC and *Chasmanthera dependens* Hochst, M.Sc Thesis, Kenyatta University.

- Ito, C., Itoigawa, M., Nakao, K., Murata, T., Tsuboi, M., Kaneda, N., Furukawa, H. (2006) Induction of apoptosis by carbazole alkaloids isolated from *Murraya koenigii*. *Phytomedicine*, **13**: 359-365
- Jacobs, M.R. (1999). Drug-resistant *Streptococcus pneumoniae*: rational antibiotic choices. *American Journal of Medicine*, **106** (5A): 19S-25S.
- Jain P., Sahu T.R. (1993). An ethnobotanical study of Noradehi Sanctuary park of Madhya Pradesh, India: Native plant remedies for scorpion sting and snake bite. *Journal of Economic and Taxonomic Botany*, **17**:315- 328.
- Jamal A.K., Yacoob W.A., Din L.B. (2009). A chemical study on *Phyllanthus columnaris*. *European Journal of Scientific Research*, **28** 76-81.
- Jambou, R., Legrand, E., Niang, M., Khim, N., Lim, P., Volney, B., Ekala, M.T., Boucher, C., Esterre, P., Fandeur, T., Mercereau-Puijalon, O. (2005). Resistance of *Plasmodium falciparum* field isolates to *in vitro* artemether and point mutations of the SERCA-type PfATPase6. *Lancet*. **366**: 1960-1963.
- Jean-Robert, I., Andrew, M., Mahabir, P. G., Kurt H. (2001). Five new prenylated stilbenes from the root of *Lonchocarpus chiricanus*. *Journal of Natural Products*, **64** (60): 710-715.
- Julianeli, T., Jackson, R.G., Kelly, S.A., Sílvia, S.C., Celso, S.C., José Maria, B.F. (2011). Selective spasmolytic effect of a new furanoflavoquinone derivative from diplotropin on guinea-pig trachea. *Journal of Chemical and Pharmaceutical Research*, **3** (1): 249-258.
- Juma, E., Zurovac, D. (2011). Changes in health workers, Malaria diagnosis and treatment practices in *Kenya Malaria Journal*, **10**, 1-2.

- Kamat, V.S., Chuo, F.Y., Kubo, I., Nakanishi, K., (1981). Erythrisenegalone, a prenylated-flavanone from *Erythrina senegalensis*. *Heterocycles*, **15**: 1163.
- Kareru, P.G., kenji, G.M., Gachanja, A.N., Keriko, J.M., Mungai, G. (2007). Traditional Medicines among the Embu and Mbeere people of Kenya. *African Journal of Traditional, Complementary and Alternative Medicines*, **4** (1): 75-86.
- Kaur, K., Jain, M., Kaur, T., Jain, R. (2009). Antimalarials from nature. *Bioorganic Medicinal Chemistry*, **17** 3229-3256.
- Kemp, S. (1978). Falcarindiol: An antifungal polyacetylene from *Aegopodium podagraria*. *Phytochemistry*, **17** (5): 1002.
- Kenya Malaria Indicator Survey (KMIS) (2015). Division of Malaria Control, Ministry of Public Health and Sanitation-KNBS, Nairobi, Kenya, ICF International Rockville, Maryland, USA, Nairobi, Kenya, National Malaria Control Programme Ministry of Health April, 2016.
- Kenya National Bureau of Statistics (KNBS) (2010). Kenya Population and Housing Census, 2009. KNBS, Ministry of Planning and National Development and Vision 2030, Nairobi.
- Kharazami, A., Christensen,S.B., Cruciani, G., Nielsen, S.F., Liljefors, T. (1998). Antileshmanial chalcones: statistical design, synthesis and three-dimensional quantitative structure-activity relationshipanalysis. *Journal of Medicinal Chemistry*, **41**: 4819.
- Khatun, A., Rahman, M., Jahan, S. (2014). Preliminary phytochemical and pharmacological screening of *Murraya exotica* Linn. leaves extract. *Oriental Pharmacy and Experimental Medicine*, **14** (3): 223–229.

- Kim, N.M., Kim, J., Chung, H.Y. (2000). Isolation of Luteolin 7-O-rutinoside and esculetin with potential antioxidant activity from the aerial parts of *Artemisia Montana*. *Archives Pharmacal Research*, **23**: 237-239.
- Klepser, M.E., Ernst, E.I., Pfaller, M.A. (1997). "Update on antifungal resistance." *Trends in Microbiology*, **5**: 372-375.
- Klevens, R.M., Morrison, M.A., Nadle, J., Petit, S., Gershman, K., Ray S. (2007). Invasive methicillin-resistant *Staphylococcus aureus* infections in the United States. *Journal of American Medical Association*, **298**:1763-1771.
- Kigondu, E.V.M (2007). Phytochemical and anti-parasitic activity studies of some selected Kenyan Medicinal Plants, MSc. Thesis, Jomo Kenyatta University of Agriculture and Technology, Kenya.
- Kiplagat, J.T. (2006). Larvicidal and Antiplasmodial Compounds from *Derris trifoliata*, *Lonchocarpus eriocalyx* and *Erythrina sacleuxii*. MSc. Thesis, Department of Chemistry. University of Nairobi, Kenya.
- Kokwaro, J.O. (2009). *Medicinal Plants of East Africa*, 3<sup>rd</sup> edition, University of Nairobi Press, Nairobi, Kenya: 134-137.
- Kokwaro, J.O. (1976). *Medicinal Plants of East Africa*. 2<sup>nd</sup> edition, East Africa Literature Bureau, Nairobi p 129-217.
- Kumar, S.S., Nithya, J.S. (2014). Analysis of phytochemical status and bacterial activities of *Alysicarpus bubleurifolius*- a valuable medicinal herb. *American Journal of Biology and Life Sciences*, **2** (6): 146-149.
- Lima, A.F., Ferreira, D.A., Monte, F.J. (2014). Flavonoids from *Lonchocarpus araripensis* (Leguminosae): Identification and Total <sup>1</sup>H and <sup>13</sup>C Resonance

Assignment. *American International Journal of Contemporary Research*, **4** (2): 18-23.

Liu, B., Li, Y., Xiao, H., Liu, Y., Mo, H., Ma, H., Liang, G. (2015). Characterisation of the supermolecular of polydatin/6-O- $\alpha$ -maltosyl- $\beta$ -cyclodextrin inclusion complex. *Journal of Food Science*, **80** (6): 1156-1161.

Liu, W., Xiao, D.Q., Liang, N.C., He, T.P. (2012). Inhibitory activity of a water-soluble morin derivative on phosphatase of regenerating liver-3. *African Journal of Biotechnology*, **11** (18): 4268-4273.

Luhata, L.P., Munkombwe, N.M. (2015). Isolation and Characterisation of Stigmasterol and  $\beta$ -sitosterol from *Odontonema strictum* (Acanthaceae). *Journal of Innovations in Pharmaceuticals and Biological Sciences*, **2** (1): 88-95.

Mabry, T.J.; Markham K.R.; Thomas, M.B. (1970). *The Systematic identification of flavonoids*. Springer Berlin, p 15-150-152.

McChensey, J.D., Clark, A.M., Silveira, E.R. (1991). Antimicrobial diterpenes of *Croton sonderianus*. *Journal of Natural Products*, **54** (6): 1625-1633.

Machumi, F.; Bojase-Moleta, G.; Mapitse, R.; Masesane, I.; Majinda, R.R.T. (2006). Radical scavenging-flavonoids from *Erythrina abyssinica*. *Natural Products Communications*, **1**, 287-292.

Maciej, S. (2000). Application of mass spectrometry for identification and structural studies of flavonoid glycosides. *Phytochemistry*, **54**: 234-256.

Maenza, I.R., Kerulv, I.C., Moore, R.D., Chaisson, R.E., Merz, W.G., Gallant, I.E. (1996). Risk factors for Fluconazole resistant *Candida* in patients with HIV/AIDS: prevalence and microbiology. *Clinical Infectious Diseases*, **173**: 219-225.

Mahbuba K., Billah, M., Quader, M.A. (2012). Sterols and Sterol glucoside from *Phyllanthus* species. *Dhaka University Journal of Science*, **60** (1): 5-10.

Majidul, H.M., Marium, B., Moynul, H., Towheedur, R.M., Iftekhar, H., Mohammad, M.R., Hazrat, A., Ashraful, I. Zakir, S., Reyad, F., Choudhury, M.H. (2015). Investigation of the medicinal potentials of *Syzygium jambos* (L.) extract and characterization of the isolated compounds. *American Journal of Biological Science*, **3**: 1-2.

Manadhar, N.P. (1995). Medicinal folklore about the plants used as antihelmintic agents in Nepal. *Fitoterapia*, **66**: 149-151.

Mannetje L., (2002). *Alysicarpus ovalifolius* (Schumach); J. Leonard record from Protobase. Oyen L.P.A.,and Lemmens R.H.J. (Editors). Plant Resources of Tropical Africa. *Bulletin du Jardin Botanique de l'État à Bruxelles*, **32** (4): 325–416.

Markham, K.R. (1982). Techniques of flavonoid identification. *London: Academic Press*, 113.

Meghendra, S. Ashwani, K. (2013). Leguminosae (Fabaceae) in tribal medicines. *Journal of Pharmacognosy and Phytochemistry*, **2** (1) p. 276-278.

Mena, K.D., Gerba, C. P. (2009). Risk assessment of *Pseudomonas aeruginosa* in water. *Reviews of Environmental Contamination and Toxicology*, **201**: 71-115.

Merck Manual. Home health handbook (October, 2008). An Overview of Fungal Infections:[http://www.merckmanuals.com/home/infections/fungal\\_infections/overview\\_of\\_fungal\\_infections.html](http://www.merckmanuals.com/home/infections/fungal_infections/overview_of_fungal_infections.html). (Accessed on 14<sup>th</sup> July; 2013).

- Miller, B.G., Desai K.K. (2010). How bacteria become resistant to antibiotics. *Proceedings of National Academy of Science*, **107** (42): 17968-17973.
- Mitscher, L.A., Okwute, S.K., Gollapudi, S.R., Drake, S., Avona, E. (1988). Antimicrobial pterocarpans of Nigerian *Erythrina mildbraedii*. *Phytochemistry*, **27** (11): 3449-3452.
- Miyaichi, Y., Morimoto, T., Yaguchi, K., Kizu, H. (2006). Studies on the constituents of *Scutellaria* species (XXXI): constituents of the leaves of *Scutellaria strigillosa*. *Journal of Natural Medicine*, **60**: 157-158.
- Mohammad, S., Zahid, H., Nirob, K.S., Manjural, K., Nilufar, N. (2013) Antimicrobial activity of carbazole alkaloids from *Murraya koenigii* (L) Spreng leave. *International Journal of Medicinal and Aromatic Plants*, **3**: 131-135.
- Nadjm, B., Behrens, R.H. (2012). Malaria: An update for physicians. *Infectious Disease Clinics of North America*, **26** (2): 243-259.
- Nayak, A., Mandal, S., Banerji, A., Banerji, J. (2010) Review on Chemistry of *Murraya koenigii* Spreng (Rutaceae). *Journal of Chemical and Pharmaceutical Research* **2**: 286-299.
- Ndiaye, A., Diop, M., Diouf, E.H., Traore, S. (2016). Dosage of some chetances in two plant Species: *Alysicarpus ovalifolius* (Sch. and Th.) and *Indigofera pilosa* (Poir). *Journal of Biosciences and Medicines*, **4**: 88-86.
- Neuwinger, D. (1996). African Ethnobotany: Poisons and Drugs: Chemistry, Pharmacology, Toxicology, CRC Press, 682-683.
- Nielsen, D. (1997). Antiparasitaere chalcone struktur-aktivites relationer. Ph.D Thesis Dansmarks Farmaceutiske Højskole. *Instut for Medicinalkemi Kobenhaven*.

- Nkengfack, A.E., Azebaze, A.G.B., Waffo, A., Formum, Z.T., Meyer, M., Bodo, B., Van Heerden, F.R. (2000). Indicanine A. A new 3-phenylcoumarin and other secondary metabolites from the root bark of *Erythrina indica*. *Journal of Natural Products*, **63**: 855-856.
- Nkengfack, A.E., Vouffo, T.W., Vardamides, J.C., Kouam, J., Fomum, Z.T., Meyer, M., Sterner, O. (1997). Phenolic metabolites from *Erythrina* species. *Phytochemistry*, **46**: 573.
- Nkya, W.J., Erasto, P., Chacha, M. (2014). Larvicidal against mosquito vectors and brine shrimp activities of extract from the flowers of *Moringa oleifera* Lam. *American Journal of Research Communication*, **28** (8): 15-29.
- Okello, J., Ssegawa, P., (2007). Medicinal Plants used by communities of Ngai Sub-county, Apac District, Northern Uganda. *African Journal of Ecology*, **45** (1): 76-83.
- Okoro, C.K., Kingsley, Robert, A.C., Thomas R.H., Simon, R.P. Christopher, M.A. Manar, N.K., Msefula, C.L., Gordon, M.A., Pinna, E.; Wain, J., Heyderman, R.S.; Obaro, S.A., Pedro L; I.M., Calman, A.T., Milagritos D., L.M. T., Sharon M. Parkhill, J., Dougan, G. (2012). Intracontinental spread of human invasive *Salmonella typhimurium* pathovariants in sub-Saharan Africa. *Nature Genetics*, **44** (11): 1215–1221.
- Okoth, D.A. (2013). Phytochemical and Bioactive Natural Products from *Lannea alata*, *Lannea rivae*, *Lannea schimperi* and *Lannea schweinfurthii* (Anacardiaceae). Ph.D Thesis, University of Kwazulu-Natal.

- Okoth, D.A., Hafizah, Y.C., Koorbanally, N.A., (2013). Antibacterial and antioxidant flavonoids from *Lannea alata* (Engl.) Engl. (Anacadiaceae). *Phytochemistry Letters*, **6** (3): 476.
- Olila, D., Bukenya-Ziraba, R., Kamoga, D. (2007). Bio-prospective studies on medicinal plants used to manage poultry diseases in the Mount Elgon region in Uganda. *Research Journal of Pharmacology*, **1** (3): 56-60.
- Onyilagha, C.J., Shahidul, I., Sixte, N. (2009). Comparative phytochemistry of eleven species of *Vigna* (Fabaceae). *Biochemical Systematics and Ecology*, **37** (1): 16-19.
- Orabi, Y.K, (2011). Search for new leads from marine macrofauna: collection from Kuwaiti Arabian gulf coast. *International Journal of Pharmaceutical Sciences*, **3**: (40): 228-232.
- Oyedeleji, O.A., Azeez, L., Adewuyi, S.O., Osinfade, B.G., Bamimore, M.O. (2015). Flavonoid profile, anthocyanin, carotenoid, sugar and vitamin compositions of *Lonchocarpus sericeus* seeds. *African Journal of Food Sciences and Technology*, **6** (5): 131-135.
- Palumbi, S.R. (2001). Humans as the world's greatest evolutionary force. *Science*, **293**: 1786-1790.
- Pandey, R., Verma, R.K., Gupta, M.M. (2006). Pentadecanoic acid  $\beta$ -D-glucoside from *Clerodendrum inerme*. *Indian Journal of Chemistry*, **45**: (9), 2161-2163.
- Paul, A.H., Valeria, A.P. (1992). Electron impact mass spectral analysis of flavonoids. *Journal of Agriculture and Food Chemistry*, **40**: 607-611.

Pavia, D.L., Gary, M.L., Kriz, G.S. (2009). *Introduction to Spectroscopy: A Guide for Students of Organic Chemistry*, United States of America Press, 4<sup>th</sup> Edition, p. 227-245.

Perlin, D. (2007). Clinical breakpoints for echinocandins and *Candida* revisited. Integration of molecular, clinical and microbiological data to arrive at species-specific interpretive criteria. *Drug Resistance Up-dates*, **10** (2): 121-130.

Phillipe, P., Miller R.S. (2002). Quinine in Modern Treatment of *P. falciparum* Malaria. *Lancet Infectious Diseases*, **2**: 206.

Prakash, B.N. (2009). Africa turning to traditional medicine to fight against malaria. 5<sup>th</sup> Multilateral Initiative on Malaria (MIM), Pan-Africa Malaria Conference, 4<sup>th</sup> Nov, Nairobi, Kenya.

Pranab, K.M., Jyotsna, C., Duncan, M.K. and Mahmoud, A.G. (2003). Mechanism of fluconazole resistance in *Candida albicans* biofilms: Phase-specific role of efflux pumps and membrane sterols. *Infections and Immunity* **71**: (8) 4333-4340.

Promsattha, R.Tempesta, M.S., Fomum,Z.T., Mbafor, J.T. (1988). (-)-sigmoidin E: a New Prenylated Flavonoid from *Erythrina sigmoidea*. *Journal of Natural Products*, **51** (3): 611-613.

Purvi, H. K., Harish, N.K., Ajay K.S. (2011). Evaluation of anti-inflammatory activity of methanolic extract of the aerial parts of *Alysicarpus monilifer* L. (DC.) *Journal of Pharmacy Research*, **4**: (10), 3529-3530.

Radhakrishnan K., Pandurangan A.G., Pushpangadan P., Sasidharan A. (1996). Less known ethnomedicinal plants of Kerala state and their conservation. *Ethnobotany* **8**: 82-84.

- Rajavel, R., Mallika, P., Rajesh, V., Pavan, K.K., Krishna, M.S., Sivakumar T. (2012). Antinociceptive and antiinflammatory effects of the methanolic extract of *Oscillatoria annae*, *Research Journal of Chemical Sciences*, **2** (7): 53-61.
- Ram, V.J., Saxena, A.S., Srivastava, S., Chandra, S. (2000). Oxygenated chalcones and bischalcones as potential antimalarial agents. *Bioorganic and Medicinal Chemistry Letters*, **10**: 2159-2161.
- Rao, R.R., Haridasan, K. (1991). An ethnobotanical survey of Medicinal and other useful plants from North-East India. *Journal of Economic and Taxonomic Botany*, **15**: 423 - 436.
- Rao, R.R. (1981). Ethnobotany of Meghalaya: Medicinal plants used by Khasi and Garo tribes. *Economic Botany*, **35** (4): 51-55.
- Raynolds, T., Dring, J.V., Herring, C. (2007). Phenolics in *Lonchocarpus* (Leguminosae): a review with some new findings. Royal Botanical Gardens: *Kew Bulletin*, **62** (1): 36-39.
- Redko, F., Clavin, M.L., Weber, D., Ranea, F., Anke, T., Martino, V. (2007). Antimicrobial Isoflavonoids fro *Erythrina cristagalli* Infected with *Phomopsis* sp. Zeitschrift fur Naturforschung (A *Journal of Chemical Sciences*) **62C**: 164-168.
- Reginatto, H.F., Gosmann, G., Guillaume, D., Kauffmann, C., Schenkel, P.E., Schripsema, J. (2001). Steroidal and triterpenoidal glucosides from *Passiflora alata*. *Journal of the Brazilian Chemical Society*, **12**: 32-36.
- Riaz, N., Anis, I., Muhammad, K.P., Anis, I., Abdul M. (2003). Alysinol - A new triterpene from *Alysicarpus monolifer*. *Natural Products Letters*, **16** (6): 415-418.

Ricci, F. (2012). Economic and social implications of malaria and their relationship to poverty. *The Mediterranean Journal of Hematology and Infectious Diseases*, **4** (1): 201-204.

Rietjens, M.C.M.I., Boersma, M.G., De Haan, L., Spenkelink, B., Awad, H.M., Cnubben, N.H.P., Van Zanden, J.J., Van der Woude, H., Alink, G.M., Koeman, J.H., (2002). The proxidant chemistry of natural antioxidants vitamin C, vitamin E, carotenoids and flavonoids. *Environmental Toxicology and Pharmacology*, **11**: 321-333.

Rogers, C.B., Pegel K.H. (1976). Mollic acid 3- $\beta$ -D-glucoside: A novel 1- $\alpha$ -hydroxycycloartene saponin from *Combretum molle* (Combretaceae). *Tetrahedron Letters*, **47**: 4299-4302.

Romain, C., Benjamin, M., Didier, M., Miria R. (2010). An end-joining repair mechanism in *Escherichia coli*. *Proceedings of the National Academy of Sciences of the United States of America*, **107** (5): 2141-2146.

Rossato, S.C., Leitao-Filho, H., Gegossi, A. (1999). Ethnobotany of Caicaras of the Atlantic forest coast (Brazil). *Economic Botany* **53**: 387–395.

Rozman, R.S. (1973). Chemotherapy of Malaria. *Annual Review Pharmacology*, **13**: 127-152.

Samwel, B., Adigun, O., Adaramoye, O. (2014). Bioassay-guided investigation of *Lonchocarpus cyanescens* Benth leaf extract for antioxidant activities. *African Journal of Biotechnolgy*, **13** (22): 2240-2247.

Sandhu, G.K. (2011). Tuberculosis: Current situation, challenges and overview of its control programmes in India. *Journal of Global Infectious Diseases*, **3** (2): 143-150.

Saratha, V., Iyyam, P., Subramanian, S. (2011). Isolation and Characterization of Lupeol, a Triterpene from *Calotropis gigantean* (Latex). *International Journal of Pharmaceutical Sciences Review and Research*, **10** (2): 52-57.

Sathyadevi, M., Subramanian, S (2015). Extraction, isolation and characterisation of bioactive flavonoids from the fruits of *Physalis peruviana* (Linn) extract. *Asian Journal of Pharmaceutical and Clinical Research*, **8** (1): 152-157.

Satterfield, M., Brobelt, J., S. (2001). Structural characterization of flavonoid glycosides by collisionally activated dissociation of metal complexes. *Journal of American Society for Mass Spectrometry*, **12** (5): 537-549.

Saxena, V.K., Bhadaria, B.K., (1990). 3'-Prenyl-4-methoxyisoflavone-7-O- $\beta$ -D (2"-O-p-coumaroyl)glucopyranoside. A novel phytoestrogen from *Sopubia delphinifolia*. *Journal of Natural Products*, **55** (1): 62-65.

Schrire, B.D.; Lewis, G.P.; Lavin, M. (2005). Biogeography of the Leguminosae. *Legumes of the world*. Kew, England: Royal Botanic Gardens. p.21–54.

Schwaber, M.J., levi,B.,Israeli,A., Solter, E., (2011). Containment of a country-wide outbreak of carbapenem-resistant *Klebsiella pneumoniae* in Israeli hospitals via a nationally implemented intervention. *Clinical Infectious Diseases*, **52**: (7) 848-855.

Schwikkard, S., Van Heerden, Freport. R. (2002). Antimalarial activity of plant metabolites. *Natural Products Report*, **19**: 675-677.

Sexana, R.C. (1990). *Recent Developments in the Field of pesticides and Their Application to Pest Control*, Proceedings of the International Seminar, Shenyang, China p 174-180.

Shah, A. (2013). Tackling the crisis of antibiotic resistance. *South Asian Journal of Cancer*, **2** (1): 23-4.

Shaoyun, W., Xiuyun, Y., Jie, C., Pingfan, R. (2012). A novel chitinase isolated from *Vicia faba* and its antifungal activity. *Food Research International* **45** (1): 12-14.

Sharma, K.K., Sharma, A.K., Sharma, M.C., Tanwar, K. (2014). Isolation of orientin and vitexin from the stem bark of *Parkinsonia aculeate* (Caesalpiniaceae) and their successive blending on sheep wool fiber. *International Journal of Pharmacognosy and Phytochemical Research*, **6**: 557-561.

Shretta, R., Omumbo, J., Rapuoda, B, Snow, R.W. (2000). Using evidence to change antimalarial drug policy in Kenya. *Tropical Medicine and International Health*, **5**:755-764.

Siddhuraju, K. Vijayakumari, K., Janardhanan R. (1992). The biochemical composition and nutritional potential of the tribal pulse, *Alysicarpus rugosus* (Willd.) DC. *Food Chemistry*, **45** (4): 251-255.

Singh K.K., Prakash A. (1994). Indigenous Phytotherapy among the Gond tribes of Uttar Pradesh, India. *Ethnobotany*, **6**: 37- 41

Singh, B., Sahu, P.M., Sharma M.K. (2002). Anti-inflammatory and Anti-microbial activities of triterpenoids from *Strabilanthes callosus*. *Phytomedicine*, **4**: 355.

- Singh, S.; Prasad, R.; Pathania, K.; Joshi, H. (2012). Antifungal activity of Plumbagin & Isodospyrin from *Diospyros kaki* root bark. *Asian Journal of Plant Science and Research*, **2** (1):1-5.
- Slavin, M.A., Sorrell T.C. (2011). Anidulafugin versus fluconazole for invasive candidiasis. *Erratum in Drugs*, **71** (2): 253-260.
- Smith J.R., Barber K.E., Raut A, Aboutaleb M., Sakoulas G., Rybak M.J. (2015).  $\beta$ -Lactam combinations with daptomycin provide synergy against vancomycin-resistant *Enterococcus faecalis* and *Enterococcus faecium*. *Journal of Antimicrobial Chemotherapy*, **70** (6):1738-43.
- Spellberg, B., Blaser, M., Guidos, R.J., Boucher, H.W., Bradley, J.S. (2011). "Combating Antibiotic Resistance: Policy recommendations to save Lives". *Clinical Infectious Diseases*, **52** (5): 397-428.
- Stevens, A. M., Hennessy, T., Baggett, H. C., Bruden, D., Parks, D., Klejka, J. (2010). Methicillin-resistant *Staphylococcus aureus* carriage and risk factors for skin infections, Southwestern Alaska, USA. *Emerging Infectious Diseases*, **16** (5): 797-801.
- Taghreed, A. Refai, A.L. (2007). General resistance of dermatophytes to griseofulvan. *Journal of Research in Medical Sciences*, **14** (1): 76-78.
- Tahara, S., Ingham, J.L., Nakahara, S., Mizutani, J., harborne, J.B. (1984). The Flavonoids. *Phytochemistry* **23**: 1889.
- Tanaka, H., Tanaka, T., Etoh H. (2003). A pterocarpan from *Erythrina orientalis*. *Phytochemistry*, **45**: 205.

Tangmouo, J.G.; Lontsi, D.; Ngounou, V.K.; Meli, A.L.; Manfouo, R.W.; Kamdem, H.W.; Tane, P.; Beng, P.V.; Sondengam, B.L.; Connolly, J.D. (2005). Diopyrone, A New coumarinylbinaphthquinone from *Diopyrone Canaliculata* (Ebenaceae). structure and antimicrobial activity. *Chemical Society of Ethiopia Bulletin*, **19** (1): 81-88.

Taniguchi, M., Kubo, I., (1993). Ethnobotanical drug discovery based on medicine men's trials in the African Savanna. Screening of East African plants for antimicrobial activity. *Journal of Natural Products*, **56** (9): 1539-1545.

Tapiwa, E.M., Chifamba, J., Tarugarira, T.T. (2016). Antifungal Activity of *Ziziphus mucronata* and *Erythrina abyssinica* bark crude extracts on *Cryptococcus neoformans* and *Candida albicans* species. *British Journal of Pharmaceutical Research*, **10** (3): 1-11.

Tatke, P., Desai, S., Gabhe, S.Y. (2014). Isolation of Quercetin-3-O- $\beta$ -D-glucoside from *Azadirachta indica*. *American Journal of Phytomedicine and Clinical Therapeutics*, **2** (7): 870-876.

Taylor, S.G., Baltensperger, D.D, Quesenberry, K.H., Dunn R.A.. (2001). Variability in *Meloidogyne* resistance within the genus *Alysicarpus*. *Crop Science*, **26**:501-505.

Thitima, R., Amporn, S., Chatthana, T., Sudarut,W., Apichart, S. (2007). Biological Activities of the chemical constituents of *Erythrina stricta* and *Erythrina subumbrans*. *Archives of Pharmacal Research*, **30** (11): 1398-1403.

Timothy M.S. (1998). *Intellectual property rights and biodiversity conservation: an interdisciplinary analysis of the values of medicinal plants*. Cambridge University. 45-62.

- Trager, W., Jensen, J.B. (1976). Human malaria parasites in continuous culture. *Science*, **193**: 673-675.
- Tuwei, J.K. (2006). Larvicidal and antiplasmodial compounds from *Derris trifoliata*, *Lonchocarpus eriocalyx* and *Erythrina saculeuxii*, M.Sc. Thesis, Department of Chemistry, University of Nairobi.
- Udeani, G.O., Gerhauser, C.T., Cathy, F.M., Richard, C.K, Jerome, W., Kinghorn, A.D., Moriarty, R.M. and Pezzuto, J.M. (1997). Cancer chemopreventive activity mediated by deguelin, a naturally occurring rotenoid. *Cancer Research* **57** (16): 3424-3428.
- Udwadia, Z.F., Amala, R.A., Ajbane, K.K., Rodrigues, C. (2012). Totally drug-resistant TB in India. *Clinical Infectious Diseases*, **54** (4): 579-581.
- Vandeputte, P., Seleni, F., Coste, A.T. (2012). Antifungal Resistance and New strategies to Control Infections. *International Journal of Microbiology*, **2012**: 1-27.
- Vijay, S., Arora, S., Kumar, D. (2011). Phytochemical and antimicrobial studies on leaves of *Splinthes acmella*. *Journal of Chemical and Pharmaceutical Research*, **3** (5): 145-150.
- Walter, S. (2000). The discovery of aspirin. *British Medical Journal*, **321**: 1591-1594.
- Wandji, J., Nkengfack, A.E., Fomum, Z.T., Ubillas, R., Killday, K.B. Tempesta, M.S. (1990). A new prenylated isoflavones and long chain esters from two *Erythrina* species. *Journal of Natural Products*, **53**: 1425.
- Wen, P.; Huiying, H.; Wang, R.; Wang, N.; Yao, X. (2007). C-glycosylflavones and aromatic glycosides from *Campylotropis hirtella* (Franch.) Schindl. *Asian Journal of Traditional Medicines*, **2** (4): 341-343.

Wichmann, O., Muhlen, M., Grub, H., Mockenhaupt, F.P., Suttorp, N., Jelinek, T. (2004). Malarone treatment failure not associated with previously described mutations in the cytochrome b gene. *Malaria Journal*, **3**: 1-3.

WHO (2015). World Malaria Report, 20, avenue Appia, CH-1211 Geneva 27.

WHO-4 (2012b). The battle to discover New Antibiotics. Copenhagen (Sweden): 16<sup>th</sup> March; 2012.

WHO-3 (2012c). “Drug-resistant strains of TB are out of control, warn health experts”- Guatemala, 25<sup>th</sup> March; 2012.

WHO (2010a). *Malaria Fact sheet No. 94*. WHO, Geneva p 35.

WHO (1997a). World Malaria Situation in 1994. *Weekly Epidemiology Records*, **36**: 269-276.

WHO (1996). Report of the WHO Informal Consultation on the Evaluation and Testing of Insecticides, Geneva p. 9-17.

Wojciechowski, M.F.; Lavin, M.; Sanderson, M.J. (2004). A phylogeny of legumes (Leguminosae. *American Journal of Botany*, **91** (11): 1846–1862.

Worrall, E., Basu, S., Hassan, K. (2005). “Is malaria a disease of poverty? A review of the literature”. *Tropical Health and Medicine*, **10** (10): 1047-1059.

Xiao-Hua, W., Sheng-Jie, Y., Liang, N., De-Yu, H., Lin-Hong, J., Wei, X., Song, Y. (2013). Chemical constituents of *Caesalpinia decapetala* (Roth). *Molecules*, **18**: 1325-1336.

Xueqin, M., Chengjian, Z., Khalid, R., Luping, Q. (2011). Fabaceae-traditional uses in Chinese medicine, phytochemistry and pharmacology. *Journal of Ethnopharmacology*, **138** (2): 314-332.

Yang, J., Kwon, Y.S., Kim, M.J. (2015). isolation and characterisation of bioactive compounds from *Lepisorus thunbergianus* (Kaulf.). *Arabian Journal of Chemistry*, **8**: 407-413.

Yenesew, A. (1997). Chemical Investigations of two *Millettia* and two *Erythrina* species (Leguminosae) for Bioactive Constituents, *Ph.D Thesis*, Department of Chemistry, University of Nairobi.

Yenesew, A., Andayi, A., Derese, S., Water, N. (2006). Antiplasmodial flavonoids from *Erythrina sacleuxii*. *Planta Medica*, **72**: 187-189.

Yenesew, A., Derese, S., Midiwo, J.O., Irungu, B., Waters, N.C., Liyala, P., Akala, H., Heydenreich, M., Peter M.G. (2003a). Flavonoids and isoflavonoids with antiplasmodial activities from the root bark of *Erythrina abyssinica*. *Planta Medica*, **69**: 658-661.

Yenesew, A., Derese, S., Midiwo, J.O., Oketch-Rabah, H.A., Lisgarten, J., Palmer, R., Hedenreich, M., Peter, M.G., Akala, H., Wangui, J., Liyala, P., andd Waters, N.C. (2003b). Anti-plasmodial activities and X-ray crystal structures of rotenoids from *Millettia usaramensis* sub-species *usaramensis*. *Phytochemistry*, **64**: 773-779.

Yenesew, A., Hannington, T., Kiremeri, B.T., Mbugua, M.N., Gitu, P.M., Heydenreich, M., Peter, M.G. (2009). 8-Methoxyneoratenol and radical scavenging flavonoids from *Erythrina abyssinica*. *Bulletin of the Chemical Society of Ethiopia*, **23** (2): 205-210.

Yenesew, A., Induli, M., Derese, S., Midiwo, J.O., Heydenreich, M., Peter, M.G., Akala, H., Wangui, J., Liyala, P., Waters N.C. (2004). Antiplasmodial flavonoids from the stem bark of *Erythrina abyssynica*. *Phytochemistry*, **65**: 3029-3032.

Yenesew, A., Midiwo, J.O., Guchu, S.M., Heydenreich, M., Peter, M.G. (2002). Three isoflav-3-enes and a 2-qrylbenzofuran from the root bark of *Erythrina buttii*.

*Phytochemistry*, **59**: 337-339.

Yenesew, A., Rukunga, G., Dharani, N., Mbora, A., Mwaura, L., Jamnadas, R., (2008).

*Common Antimalarial Trees and Shrubs of East Africa*. World Agroforestry Centre. (ICRAF). ISBN: 978-992.

Younghhee, P., Yong-Uk, L., Hojung, K., Youngshim, L., Young-Ah, Y., Byoungho, M., Youhoon, C., Joong-Hoon, A., Yhong-Hee, S., Yoongho, L. (2012). NMR Data of Flavone Derivatives and their Anti-oxidative Activities. *Bulletin of Korean Chemical Society*, **27** (12): 1537-1541.